



Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

1 of 3

ICAL ID: 20240903-088
Sample: CA240903-038-151
Neon Nectar
Strain: Neon Nectar
Category: Concentrates & Extracts
Type: Distillate

Turn
Lic. #
NA
San Diego, CA 92121
Lic. #

Batch#: TBB-NN-9.4.24
Batch Size Collected:
Total Batch Size:
Collected: 09/09/2024; Received: 09/09/2024
Completed: 09/09/2024

| | | | | | |
|----------------------|----------------------------|---------------------------|-------------------------------------|--------------------------------------|----------------------|
| Moisture NT | Total THC 77.76% | Total CBD 0.23% | Total Cannabinoids 81.18% | Sum of Cannabinoids 81.18% | Total Terpenes NT |
| Water Activity NT | | | | | |

| | | | |
|----------------|------------------------|-------------|----------|
| Summary | SOP Used | Date Tested | |
| Batch | POT-PREP-001 | 09/04/2024 | Pass |
| Cannabinoids | PESTMICO-LC-PREP-001 / | 09/05/2024 | Complete |
| Pesticides | PEST-GC-PREP-001 | | Pass |



Scan to see results

Cannabinoid Profile

| Analyte | LOQ (mg/g) | LOD (mg/g) | % | mg/g | Analyte | LOQ (mg/g) | LOD (mg/g) | % | mg/g |
|---------|------------|------------|-------|-------|---------------------|------------|------------|--------------|---------------|
| THCa | 0.3680 | 0.0924 | ND | ND | CBGa | 0.3965 | 0.1322 | ND | ND |
| Δ9-THC | 0.3680 | 0.1024 | 77.76 | 777.6 | CBG | 0.3920 | 0.1307 | 1.40 | 14.0 |
| Δ8-THC | 0.3680 | 0.0506 | ND | ND | CBN | 0.3680 | 0.0780 | 0.93 | 9.3 |
| THCV | 0.3680 | 0.0423 | 0.51 | 5.1 | Total THC | | | 77.76 | 777.56 |
| CBDa | 0.3680 | 0.0951 | ND | ND | Total CBD | | | 0.23 | 2.32 |
| CBD | 0.3680 | 0.0815 | 0.23 | 2.3 | Total | | | 81.18 | 811.75 |
| CBDV | 0.3680 | 0.0421 | ND | ND | Sum of | | | 81.18 | 811.75 |
| CBC | 0.4549 | 0.1516 | 0.35 | 3.5 | Cannabinoids | | | | |

Total THC=THCa * 0.877 + d9-THC + d8-THC; Total CBD = CBDa * 0.877 + CBD. Total Cannabinoids=(Acidic Cannabinoids)*0.877+Non-acidic Cannabinoids; Sum of Cannabinoids=Acidic Cannabinoids+Non-acidic Cannabinoids. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported. Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids:UHPLC-DAD(POT-INST-005),Moisture:Moisture Analyzer(MOISTURE-001),Water Activity:Water Activity Meter(WA-INST-002), Foreign Material:Microscope(FOREIGN-001). Density measured at 19-24 °C, Water Activity measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

Terpene Profile

| Analyte | LOQ (mg/g) | LOD (mg/g) | % | mg/g | Analyte | LOQ (mg/g) | LOD (mg/g) | % | mg/g |
|---------|------------|------------|---|------|---------|------------|------------|---|------|
|---------|------------|------------|---|------|---------|------------|------------|---|------|

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP TERP-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
09/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

2 of 3

ICAL ID: 20240903-088
Sample: CA240903-038-151
Neon Nectar
Strain: Neon Nectar
Category: Concentrates & Extracts
Type: Distillate

Turn
Lic. #
NA
San Diego, CA 92121
Lic. #

Batch#: TBB-NN-9.4.24
Batch Size Collected:
Total Batch Size:
Collected: 09/09/2024; Received: 09/09/2024
Completed: 09/09/2024

Residual Solvent Analysis

| Category 1 | LOQ | LOD | Limit | Status | Category 2 | LOQ | LOD | Limit | Status | Category 2 | LOQ | LOD | Limit | Status |
|------------|-----|-----|-------|--------|------------|-----|-----|-------|--------|------------|-----|-----|-------|--------|
|------------|-----|-----|-------|--------|------------|-----|-----|-------|--------|------------|-----|-----|-------|--------|

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-INST-003.

Heavy Metal Screening


| | LOQ | LOD | Limit | Status |
|--|-----|-----|-------|--------|
|--|-----|-----|-------|--------|

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-INST-003.

Microbiological Screening

| | Limit | Result | Status |
|--|-------|--------|--------|
|--|-------|--------|--------|

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
09/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

3 of 3

ICAL ID: 20240903-088
Sample: CA240903-038-151
Neon Nectar
Strain: Neon Nectar
Category: Concentrates & Extracts
Type: Distillate

Turn
Lic. #
NA
San Diego, CA 92121
Lic. #

Batch#: TBB-NN-9.4.24
Batch Size Collected:
Total Batch Size:
Collected: 09/09/2024; Received: 09/09/2024
Completed: 09/09/2024

Chemical Residue Screening

| Category 1 | LOQ | LOD | Status | Mycotoxins | LOQ | LOD | Limit | Status |
|------------------|------|-------|--------|------------|-----|-----|-------|--------|
| | µg/g | µg/g | µg/g | | | | | |
| Aldicarb | ND | 0.030 | 0.008 | Pass | | | | |
| Carbofuran | ND | 0.030 | 0.005 | Pass | | | | |
| Chlordane | ND | 0.075 | 0.025 | Pass | | | | |
| Chlorfenapyr | ND | 0.075 | 0.025 | Pass | | | | |
| Chlorpyrifos | ND | 0.046 | 0.015 | Pass | | | | |
| Coumaphos | ND | 0.030 | 0.004 | Pass | | | | |
| Daminozide | ND | 0.053 | 0.018 | Pass | | | | |
| Dichlorvos | ND | 0.055 | 0.018 | Pass | | | | |
| Dimethoate | ND | 0.030 | 0.006 | Pass | | | | |
| Ethoprophos | ND | 0.030 | 0.006 | Pass | | | | |
| Etofenprox | ND | 0.030 | 0.004 | Pass | | | | |
| Fenoxycarb | ND | 0.030 | 0.004 | Pass | | | | |
| Fipronil | ND | 0.050 | 0.017 | Pass | | | | |
| Imazalil | ND | 0.030 | 0.009 | Pass | | | | |
| Methiocarb | ND | 0.030 | 0.002 | Pass | | | | |
| Mevinphos | ND | 0.030 | 0.008 | Pass | | | | |
| Paclbutrazol | ND | 0.030 | 0.009 | Pass | | | | |
| Parathion Methyl | ND | 0.024 | 0.008 | Pass | | | | |
| Propoxur | ND | 0.030 | 0.008 | Pass | | | | |
| Spiroxamine | ND | 0.030 | 0.006 | Pass | | | | |
| Thiacloprid | ND | 0.030 | 0.005 | Pass | | | | |

| Category 2 | LOQ | LOD | Limit | Status | Category 2 | LOQ | LOD | Limit | Status | | |
|---------------------|------|-------|-------|--------|------------|-------------------------|-------|-------|--------|-----|------|
| | µg/g | µg/g | µg/g | µg/g | | µg/g | µg/g | µg/g | µg/g | | |
| Abamectin | ND | 0.099 | 0.033 | 0.1 | Pass | Kresoxim Methyl | ND | 0.030 | 0.007 | 0.1 | Pass |
| Acephate | ND | 0.030 | 0.007 | 0.1 | Pass | Malathion | ND | 0.030 | 0.003 | 0.5 | Pass |
| Acequinocyl | ND | 0.046 | 0.015 | 0.1 | Pass | Metalaxyl | ND | 0.030 | 0.005 | 2 | Pass |
| Acetamiprid | ND | 0.030 | 0.005 | 0.1 | Pass | Methomyl | ND | 0.030 | 0.009 | 1 | Pass |
| Azoxystrobin | <LOQ | 0.030 | 0.005 | 0.1 | Pass | Myclobutanil | ND | 0.030 | 0.007 | 0.1 | Pass |
| Bifenazate | ND | 0.030 | 0.007 | 0.1 | Pass | Naled | ND | 0.030 | 0.008 | 0.1 | Pass |
| Bifenthrin | <LOQ | 0.030 | 0.004 | 3 | Pass | Oxamyl | ND | 0.030 | 0.007 | 0.5 | Pass |
| Boscalid | <LOQ | 0.030 | 0.008 | 0.1 | Pass | Pentachloronitrobenzene | ND | 0.054 | 0.018 | 0.1 | Pass |
| Captan | ND | 0.358 | 0.120 | 0.7 | Pass | Permethrin | 0.035 | 0.030 | 0.002 | 0.5 | Pass |
| Carbaryl | ND | 0.030 | 0.006 | 0.5 | Pass | Phosmet | ND | 0.030 | 0.005 | 0.1 | Pass |
| Chlorantraniliprole | ND | 0.030 | 0.009 | 10 | Pass | Piperonyl Butoxide | <LOQ | 0.030 | 0.003 | 3 | Pass |
| Clofentezine | ND | 0.030 | 0.002 | 0.1 | Pass | Prallethrin | ND | 0.071 | 0.023 | 0.1 | Pass |
| Cyfluthrin | ND | 0.056 | 0.019 | 2 | Pass | Propiconazole | ND | 0.030 | 0.009 | 0.1 | Pass |
| Cypermethrin | ND | 0.181 | 0.060 | 1 | Pass | Pyrethrins | ND | 0.030 | 0.003 | 0.5 | Pass |
| Diazinon | ND | 0.030 | 0.005 | 0.1 | Pass | Pyridaben | ND | 0.030 | 0.002 | 0.1 | Pass |
| Dimethomorph | ND | 0.030 | 0.005 | 2 | Pass | Spinetoram | ND | 0.030 | 0.001 | 0.1 | Pass |
| Etoxazole | ND | 0.030 | 0.004 | 0.1 | Pass | Spinosad | ND | 0.030 | 0.001 | 0.1 | Pass |
| Fenhexamid | ND | 0.034 | 0.011 | 0.1 | Pass | Spiromesifen | ND | 0.030 | 0.009 | 0.1 | Pass |
| Fenpyroximate | ND | 0.030 | 0.004 | 0.1 | Pass | Spirotetramat | ND | 0.030 | 0.008 | 0.1 | Pass |
| Flonicamid | ND | 0.035 | 0.012 | 0.1 | Pass | Tebuconazole | <LOQ | 0.030 | 0.006 | 0.1 | Pass |
| Fludioxonil | ND | 0.036 | 0.012 | 0.1 | Pass | Thiamethoxam | ND | 0.030 | 0.008 | 5 | Pass |
| Hexythiazox | ND | 0.030 | 0.001 | 0.1 | Pass | Trifloxystrobin | <LOQ | 0.030 | 0.003 | 0.1 | Pass |
| Imidacloprid | ND | 0.033 | 0.011 | 5 | Pass | | | | | | |

Other Analyte(s):

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
09/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



ICAL ID: 20240903-088
Neon Nectar

1 of 5

Chemical Residue Screening

Summary of Detected Chemical Residues

<0.086 ppm Dicloran
0.041 ppm Fluopyram
0.047 ppm Methoxyfenozide

This Summary will only include the additional chemical residues not found on the standard California cannabis pesticide list. No Pass/Fail certification for any residue found to be present will be provided for any chemical residue on this list.

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh Swider
Lab Director, Managing Partner

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Chemical Residue Screening

| | LOQ | | LOD | | LOQ | | LOD |
|----------------------------|------|-------|-------|---------------------|------|-------|-------|
| | µg/g | µg/g | µg/g | | µg/g | µg/g | µg/g |
| 2-Phenylphenol | ND | 0.057 | 0.019 | Chlorbenside | ND | 0.095 | 0.032 |
| 2,3,5,6-Tetrachloroaniline | ND | 1.500 | 0.500 | Chlorfenson | ND | 0.038 | 0.013 |
| 2,6-Dichlorobenzonitrile | ND | 0.034 | 0.011 | Chlorfluazuron | ND | 0.064 | 0.021 |
| 3,4-Dichloroaniline | ND | 0.07 | 0.023 | Chlorobenzilate | ND | 0.064 | 0.021 |
| 4,4'-Dichlorobenzophenone | ND | 0.315 | 0.105 | Chloroneb | ND | 0.044 | 0.015 |
| 4,4'-Methoxychlor olefin | ND | 0.065 | 0.022 | Chlorothalonil | ND | 0.032 | 0.011 |
| Acetochlor | ND | 0.064 | 0.021 | Chlorotoluron | ND | 0.200 | 0.050 |
| Acibenzolar-S-methyl | ND | 0.400 | 0.100 | Chloroxuron | ND | 0.063 | 0.021 |
| Alachlor | ND | 0.088 | 0.029 | Chlorpropham | ND | 0.063 | 0.021 |
| Alanycarb | ND | 0.300 | 0.100 | Chlorpyrifos-methyl | ND | 0.070 | 0.023 |
| Aldicarb sulfone | ND | 0.200 | 0.050 | Chlorthal-dimethyl | ND | 0.059 | 0.020 |
| Aldicarb sulfoxide | ND | 0.200 | 0.050 | Chlorthiophos 1 | ND | 0.101 | 0.034 |
| Aldrin | ND | 0.100 | 0.033 | Chlorthiophos 2 | ND | 0.100 | 0.033 |
| Allethrin | ND | 0.030 | 0.015 | Chlorthiophos 3 | ND | 0.045 | 0.015 |
| Allidochlor | ND | 0.073 | 0.024 | Chlozolate | ND | 0.103 | 0.034 |
| alpha-BHC | ND | 0.053 | 0.018 | cis-Diallate | ND | 0.098 | 0.033 |
| Ametryn | ND | 0.100 | 0.030 | Clethodim | ND | 0.200 | 0.050 |
| Aminocarb | ND | 0.040 | 0.010 | Clomazone | ND | 0.042 | 0.014 |
| Amitraz | ND | 0.300 | 0.100 | Clothianidin | ND | 0.010 | 0.005 |
| Anthraquinone | ND | 0.060 | 0.020 | Cyantranilprole | ND | 0.010 | 0.005 |
| Atrazine | ND | 0.005 | 0.005 | Cyazofamid | ND | 0.400 | 0.100 |
| Azadirachtin | ND | 0.050 | 0.030 | Cycloate | ND | 0.062 | 0.021 |
| Benalaxyl | ND | 0.400 | 0.100 | Cycluron | ND | 0.040 | 0.010 |
| Bendiocarb | ND | 0.040 | 0.010 | Cyhalothrin | ND | 0.050 | 0.030 |
| Benfluralin | ND | 0.060 | 0.020 | Cymoxanil | ND | 0.400 | 0.100 |
| Benfuracarb | ND | 0.300 | 0.100 | Cyproconazole | ND | 4 | 1 |
| Benzovindiflupyr | ND | 0.005 | 0.005 | Cyprodinil | ND | 0.010 | 0.005 |
| Benzoximate | ND | 0.200 | 0.050 | Cyromazine | ND | 0.200 | 0.050 |
| beta-BHC | ND | 0.067 | 0.022 | delta-BHC | ND | 0.072 | 0.024 |
| Biphenyl | ND | 0.083 | 0.028 | deltamethrin | ND | 0.050 | 0.025 |
| Bitertanol | ND | 0.240 | 0.060 | Desmedipham | ND | 0.040 | 0.010 |
| Bromophos methyl | ND | 0.066 | 0.022 | Dichlofluanid | ND | 0.074 | 0.025 |
| Bromophos-ethyl | ND | 0.085 | 0.028 | Diclobutrazol | ND | 0.400 | 0.100 |
| Bromopropylate | ND | 0.061 | 0.020 | Dicloran | <LOQ | 0.086 | 0.029 |
| Bromuconazole | ND | 0.200 | 0.050 | Dicrotophos | ND | 0.100 | 0.025 |
| Bupirimate | ND | 0.240 | 0.060 | Dieldrin | ND | 0.045 | 0.015 |
| Buprofezin | ND | 0.030 | 0.015 | Diethofencarb | ND | 0.040 | 0.010 |
| Butafenacil | ND | 0.120 | 0.030 | Difenoconazole | ND | 0.040 | 0.010 |
| Butocarboxim | ND | 4 | 1 | Diflubenzuron | ND | 0.200 | 0.050 |
| Butoxycarboxim | ND | 0.040 | 0.010 | Dimethachlor | ND | 0.094 | 0.031 |
| Carbendazim | ND | 0.040 | 0.010 | Dimoxystrobin | ND | 0.040 | 0.010 |
| Carbetamide | ND | 0.040 | 0.010 | Diniconazole | ND | 0.400 | 0.100 |
| Carbofuran-3-hydroxy | ND | 0.040 | 0.010 | Dinotefuran | ND | 0.200 | 0.050 |
| Carbophenothion | ND | 0.046 | 0.015 | Dioxacarb | ND | 0.100 | 0.025 |
| Carboxin | ND | 0.20 | 0.050 | Diphenamid | ND | 0.070 | 0.023 |
| Carfentrazone-ethyl | ND | 0.095 | 0.032 | Diphenylamine | ND | 0.066 | 0.022 |

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Chemical Residue Screening

| | LOQ | | LOD | | LOQ | | LOD |
|--------------------|-------|-------|-------|--------------------|-------|-------|--------|
| | µg/g | µg/g | µg/g | | µg/g | µg/g | µg/g |
| Disulfoton | ND | 0.070 | 0.023 | Fluquinconazole | ND | 0.200 | 0.050 |
| Diuron | ND | 0.010 | 0.005 | Flusilazole | ND | 0.400 | 0.100 |
| Dodemorph | ND | 0.020 | 0.010 | Flutolanil | ND | 0.200 | 0.050 |
| Doramectin | ND | 0.100 | 0.025 | Flutriafol | ND | 0.040 | 0.010 |
| Endosulfan ether | ND | 0.084 | 0.028 | Folpet | ND | 0.040 | 0.013 |
| Endosulfan I | ND | 0.064 | 0.021 | Fonofos | ND | 0.069 | 0.023 |
| Endosulfan II | ND | 0.079 | 0.026 | Forchlorfenuron | ND | 0.100 | 0.025 |
| Endosulfan sulfate | ND | 0.157 | 0.052 | Formetanate HCl | ND | 0.080 | 0.020 |
| Endrin | ND | 0.136 | 0.045 | Fuberidazole | ND | 0.040 | 0.010 |
| EPN | ND | 0.146 | 0.049 | Furathiocarb | ND | 0.040 | 0.010 |
| Epoxiconazole | ND | 0.040 | 0.010 | gamma-BHC | ND | 0.059 | 0.020 |
| Eprinomectin | ND | 0.400 | 0.100 | Halofenozide | ND | 4 | 1 |
| Etaconazole | ND | 0.400 | 0.100 | Heptachlor | ND | 0.065 | 0.022 |
| Ethalfuralin | ND | 3 | 1 | Heptachlor epoxide | ND | 0.157 | 0.052 |
| Ethiofencarb | ND | 0.200 | 0.050 | Hexachlorobenzene | ND | 0.098 | 0.033 |
| Ethiprole | ND | 0.040 | 0.010 | Hexaflumuron | ND | 4 | 1 |
| Ethirimol | ND | 0.040 | 0.010 | Hydamethylnon | ND | 0.040 | 0.010 |
| Ethofumesate | ND | 0.040 | 0.010 | Indoxacarb | ND | 0.200 | 0.050 |
| Ethyl Parathion | ND | 0.065 | 0.022 | Iodofenphos | ND | 0.088 | 0.029 |
| Ethylan | ND | 0.046 | 0.015 | Ipconazole | ND | 0.400 | 0.100 |
| Etridiazole | ND | 0.072 | 0.024 | Iprovalicarb | ND | 0.200 | 0.050 |
| Famoxadone | ND | 4 | 1 | Isazophos | ND | 0.078 | 0.026 |
| Fenamidone | ND | 0.080 | 0.020 | Isocarbophos | ND | 4 | 1 |
| Fenarimol | ND | 0.040 | 0.010 | Isodrin | ND | 0.042 | 0.014 |
| Fenazaquin | ND | 0.400 | 0.100 | Isoprocab | ND | 0.160 | 0.040 |
| Fenbuconazole | ND | 0.040 | 0.010 | Isopropalin | ND | 0.189 | 0.063 |
| Fenchlorphos | ND | 0.051 | 0.017 | Isoproturon | ND | 0.040 | 0.0100 |
| Fenitrothion | ND | 0.053 | 0.018 | Ivermectin | ND | 0.300 | 0.100 |
| Fenobucarb | ND | 0.040 | 0.010 | Linuron | ND | 0.400 | 0.100 |
| Fenpropimorph | ND | 0.200 | 0.050 | Lufenuron | ND | 4 | 1 |
| Fenson | ND | 0.048 | 0.016 | Mandipropamid | ND | 0.040 | 0.010 |
| Fensulfothion | ND | 0.010 | 0.005 | Mefenacet | ND | 0.040 | 0.010 |
| Fenthion | ND | 0.007 | 0.003 | Mepanipyrim | ND | 0.160 | 0.040 |
| Fenuron | ND | 0.200 | 0.050 | Mepronil | ND | 0.040 | 0.010 |
| Fenvalerate 1 | ND | 0.080 | 0.027 | Mesotrione | ND | 4 | 1 |
| Fenvalerate 2 | ND | 0.074 | 0.025 | Metaflumizone | ND | 0.04 | 0.010 |
| Fluazifop-P-butyl | ND | 0.032 | 0.011 | Metazachlor | ND | 0.083 | 0.028 |
| Flubendiamide | ND | 0.400 | 0.100 | Metconazole | ND | 0.240 | 0.060 |
| Fluchloralin | ND | 0.063 | 0.021 | Methabenzthiazuron | ND | 0.040 | 0.010 |
| Flucythrinate 1 | ND | 0.093 | 0.031 | Methacrifos | ND | 0.072 | 0.024 |
| Flucythrinate 2 | ND | 0.052 | 0.017 | Methamidophos | ND | 0.040 | 0.010 |
| Flufenacet | ND | 0.040 | 0.010 | Methoprene 2 | ND | 0.050 | 0.025 |
| Flufenoxuron | ND | 0.200 | 0.050 | Methoprotryne | ND | 0.160 | 0.040 |
| Fluometuron | ND | 0.040 | 0.010 | Methoxyfenozide | 0.047 | 0.040 | 0.010 |
| Fluopyram | 0.041 | 0.015 | 0.005 | Metobromuron | ND | 0.040 | 0.010 |
| Fluoxastrobin | ND | 0.040 | 0.010 | Metolachlor | ND | 0.040 | 0.013 |

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Supplemental Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

ICAL ID: 20240903-088

4 of 5

Neon Nectar

Chemical Residue Screening

| | LOQ | LOD |
|-------------------------|------|-------|
| | µg/g | µg/g |
| Metribuzin | ND | 0.400 |
| Mexacarbate | ND | 0.040 |
| MGK-264 1 | ND | 0.059 |
| MGK-264 2 | ND | 0.063 |
| Monocrotophos | ND | 0.200 |
| Monolinuron | ND | 0.040 |
| Moxidectin | ND | 0.080 |
| Neburon | ND | 0.200 |
| Nitrofen | ND | 0.031 |
| Novaluron | ND | 0.020 |
| Nuarimol | ND | 0.040 |
| o,p'-DDD | ND | 0.045 |
| o,p'-DDE | ND | 0.066 |
| o,p'-DDT | ND | 0.064 |
| Omethoate | ND | 0.040 |
| Oxadiazon | ND | 0.053 |
| Oxadixyl | ND | 0.200 |
| Oxyfluorfen | ND | 0.060 |
| p,p'-DDD | ND | 0.065 |
| p,p'-DDE | ND | 0.061 |
| p,p'-DDT | ND | 0.112 |
| Pebulate | ND | 0.057 |
| Penconazole | ND | 0.400 |
| Pencycuron | ND | 4 |
| Pendimethalin | ND | 0.096 |
| Pentachloroaniline | ND | 0.064 |
| Pentachloroanisole | ND | 0.086 |
| Pentachlorobenzene | ND | 0.051 |
| Pentachlorobenzonitrile | ND | 0.037 |
| Pentachlorothioanisole | ND | 0.036 |
| Phenmedipham | ND | 4 |
| Phenothrin | ND | 0.030 |
| Phorate | ND | 0.026 |
| Picoxystrobin | ND | 0.200 |
| Pirimicarb | ND | 0.010 |
| Pirimiphos-ethyl | ND | 0.043 |
| Pirimiphos-methyl | ND | 3 |
| Pretilachlor | ND | 3 |
| Prochloraz | ND | 0.040 |
| Procymidone | ND | 0.068 |
| Prodiamine | ND | 0.041 |
| Profenofos | ND | 0.038 |
| Profluralin | ND | 0.100 |
| Promecarb | ND | 0.400 |
| Prometryne | ND | 0.040 |
| Propachlor | ND | 0.061 |

| | LOQ | LOD |
|-----------------------|------|-------|
| | µg/g | µg/g |
| Propamocarb | ND | 0.040 |
| Propanil | ND | 0.087 |
| Propargite | ND | 0.400 |
| Propham | ND | 4 |
| Propisochlor | ND | 0.128 |
| Propyzamide | ND | 0.084 |
| Prothioconazole | ND | 4 |
| Prothiofos | ND | 0.065 |
| Pymetrozine | ND | 0.040 |
| Pyracarbolid | ND | 0.040 |
| Pyraclufos | ND | 0.062 |
| Pyraclostrobin | ND | 0.040 |
| Pyrimethanil | ND | 0.200 |
| Pyriproxyfen | ND | 0.010 |
| Quinalphos | ND | 0.131 |
| Quinoxifen | ND | 0.040 |
| Resmethrin | ND | 0.050 |
| Rotenone | ND | 0.040 |
| Siduron | ND | 0.200 |
| Simetryn | ND | 0.040 |
| Spirodiclofen | ND | 0.050 |
| Sulfotep | ND | 0.136 |
| Sulprofos | ND | 0.078 |
| tau-Fluvalinate 1 | ND | 0.067 |
| tau-Fluvalinate 2 | ND | 0.032 |
| Tebufenozide | ND | 0.010 |
| Tebufenpyrad | ND | 4 |
| Tebuthiuron | ND | 0.040 |
| Tecnazene | ND | 0.037 |
| Teflubenzuron | ND | 0.020 |
| Tefluthrin | ND | 0.044 |
| Terbacil | ND | 0.057 |
| Terbufos | ND | 3 |
| Terbutylazine | ND | 0.048 |
| Terbutryn | ND | 0.160 |
| Tetrachlorvinphos | ND | 0.010 |
| Tetraconazole | ND | 0.400 |
| Tetrahydrophthalimide | ND | 0.186 |
| Tetramethrin | ND | 0.050 |
| Thiabendazole | ND | 0.010 |
| Thidiazuron | ND | 0.200 |
| Thiobencarb | ND | 4 |
| Thiofanox | ND | 4 |
| Thiophanate-methyl | ND | 0.020 |
| Tolclofos-methyl | ND | 0.053 |
| Tolyfluanid | ND | 0.045 |

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh Swider
Lab Director, Managing Partner

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Supplemental Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

ICAL ID: 20240903-088
Neon Nectar

5 of 5

Chemical Residue Screening

| | | LOQ | LOD |
|-----------------------|------|-------|-------|
| | µg/g | µg/g | µg/g |
| trans-Chlorfenvinphos | ND | 0.055 | 0.018 |
| trans-Diallate | ND | 0.092 | 0.031 |
| Transfluthrin | ND | 0.026 | 0.009 |
| Triadimefon | ND | 0.040 | 0.010 |
| Triadimenol | ND | 0.040 | 0.010 |
| Triallate | ND | 0.087 | 0.029 |
| Trichlorfon | ND | 0.160 | 0.040 |
| Tricyclazole | ND | 0.040 | 0.010 |

| | | LOQ | LOD |
|------------------------|------|-------|-------|
| | µg/g | µg/g | µg/g |
| Triflumizole | ND | 0.040 | 0.010 |
| Triflumuron | ND | 0.400 | 0.100 |
| Trifluralin | ND | 0.055 | 0.018 |
| Triticonazole | ND | 4 | 1 |
| Vamidothion | ND | 0.040 | 0.010 |
| Vinclozolin | ND | 0.036 | 0.012 |
| Z-Bromfenvinphos-ethyl | ND | 0.085 | 0.028 |
| Zoxamide | ND | 0.040 | 0.010 |

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh M Swider
Josh Swider
Lab Director, Managing Partner

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.